
() ,

EURO-ASIAN CONCIL FOR STANDARTIZATION, METROLOGY AND CERTIFICATION
(EASC)



EN 1110–
2011

(N 1110:2010, IDT)

7030
« 25 »



-
,
()

2009 « 1.0 – 92 « » 1.2 –
 1 « »
 « » (« ») 4
 2 465 « »
 3 () (39 8
 2011 .)

(IS 3166) 004 –97	(IS 3166) 004–97	
	Z	
	AM	
	BY	
	KZ	-
	KG	
	MD	
	RU	o
	TJ	
	UZ	
	UA	-


4 N 1110:2010 Flexible sheets for waterproofing – Bitumen sheets for roof waterproofing – Determination of flow resistance at elevated temperature ().

(en). 1.5–2001 (3.6).

5 – (IDT)

() ()
 « », – ()
 « ».
 »

1
2
3
4
5
6
7
8 8.1
8.2
8.3
9
9.1
9.2
9.3
9.3.1
9.3.2
9.3.3
10
.....
..... ()
.....



Roofing and hydraulic-insulating flexible bitumen-based materials.
Method for determination of heat resistance

1

(-)

/

,

,

.

,

.

.

(

,

,

,

),

,

-

.

.

2

:

N 1110>2011

N 13416:2001 Flexible sheets for waterproofing – Bitumen, plastic and rubber sheets for roof waterproofing – Rules for sampling [

].

ISO 5725:1986* Precision of test methods – Determination of repeatability and reproducibility for a standard test method by inter-laboratory tests (

)

3

:

3.1 (flow resistance):

2

3.2 (flow resistance limit) **F**:

2

3.3 (flow):

3.4 (falling droplets):

4

2

* IS 5725-2:1994.

5

5.1 (± 2 °) , -

30
5 .

5.2 S.

5.3 .

5.4 0,1 .

5.5 , .

6

N 13416.

8.2 8.3

, ,
150 ,

- $X_0 (100 \pm 1)$;

- 50 100 .

, .
- 50 , 100 - .

7

, ,
, ,
, (,
0,5 , 0,5).

2

(23 ± 2) ° ; -

8

8.1

8.2

$\pm 2^\circ$

15

X_0

30

30

(120 ± 2)

$(23 \pm 2)^\circ$


()

X_1

X

2

(. 1).



- X $(X_1 - X_0)$ 2

1 -

8.3

-
5° .
T

$T+5^\circ$, :
- $L \leq 2$
(T);
- $L > 2$ ()
($T+5^\circ$);

8.2.

T $T+5^\circ$.

9

9.1

9.2

9.3

9.3.1

ISO 5725

9.3.2

- :
- $r=0,7^\circ$;
- (95 %) $q_r=1,3^\circ$;
- () $r=2^\circ$.

9.3.3

- :
- $R = 3,5^\circ$;
- (95 %) $q_R = 6,7^\circ$;
- () $R = 10^\circ$.

10

- :
- a) , ;
- b) ;
- c) 6;
- d) 7;
- e) ;
- f) 9;
- g) .

()

. .1

ISO 5725:1986 .	IDT	5725-2-2003 « () . 2. - - »
N 13416:2001 . ()).	IDT	N 13416-2011 « (-). - »
IDT - : - .		

N 1110>2011

692.415.001.4:006.354

91.100.99

IDT

:

,
