

() ,

EURO-ASIAN CONCIL FOR STANDARTIZATION, METROLOGY AND CERTIFICATION
(EASC)



EN 13416–
2011

()

(N 13416:2001, IDT)

7039
« 25 »



-
,
()

2009 « 1.0-92 « 1.2-
 1 « »
 « » (« ») 4
 2 465 « »
 3 () (39 8
 2011 .)

(ISO 3166) 004 – 97	(ISO 3166) 004 – 97	
	AZ	
	AM	
	KZ	-
	KG	
	MD	
	RU	
	TJ	
	UZ	
	UA	-

4 N 13416:2001 Flexible sheets for waterproofing – Bitumen, plastic and rubber sheets for roof waterproofing – Rules for sampling [

() . –] .
 1.5 – 2001 (3.6).
 (en).
 5 – (IDT)
 () ()
 « », – ()
 « ».
 »

- 1
2
3
4
5
6
7

. ()

.....

) , (, , . , , , . , . , . , .

()

Roofing and hydraulic-insulating flexible bitumen-based and polymeric
(thermoplastic or elastomer) materials. Rules for sampling

1

() (–), ()
, ,
, .
, .
, .
, .

2

:

N 1850-1:1999 Flexible sheets for waterproofing – Determination of visible defects – Part 1:
Bitumen sheets for roof waterproofing ()

1: ()

N 1850-2:2001 Flexible sheets for waterproofing – Determination of visible defects – Part 2:
Plastic and rubber sheets for roof waterproofing ()

2: ()


3

3.1 (consignment):

3.2 (sample):

3.3 (sampling):

(. 1).



1 - ; 2 - ; 3 - ; 4 -

1 -

3.4 (test piece):

3.5 (test specimen):

3.6 (longitudinal direction):

3.7 (transversal direction):

4

5

1.

1 –

2		
–	1000	1
1000	2500	2
2500	5000	3
5000	–	4

6

6.1

(20 ± 10) ° 24

6.2

(23 ± 2) ° ,

6.3

20

N 1850-2.

7

) ,

b)

c)

d)

()

. .1

-		
<p>N 1850-1:1999</p> <p>1:</p>	<p>IDT</p>	<p>N 1850-1– 2011</p>
<p>N 1850-2:2001</p> <p>2:</p> <p>()</p>	<p>IDT</p>	<p>N 1850-2 – 2011</p> <p>()</p>
<p>IDT – :</p>		

692.415.001.4:006.354

91.100.99

IDT

:

(

),
